

SUCCESS[™] SUPER Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	19.11.2021	800080005349	Date of first issue: 19.11.2021

Corteva Agriscience[™] encourages you and expects you to read and understand the entire SDS as there is important information throughout the document. This SDS provides users with information relating to the protection of human health and safety at the workplace, protection of the environment and supports emergency response. Product users and applicators should primarily refer to the product label attached to or accompanying the product container. This Safety Data Sheet adheres to the standards and regulatory requirements of Israel and may not meet the regulatory requirements in other countries.

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier**

Trade name : SUCCESS[™] SUPER Insecticide

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-stance/Mixture : Plant Protection Product

1.3 Details of the supplier of the safety data sheet**COMPANY IDENTIFICATION****Manufacturer/importer**

CORTEVA AGRISCIENCE FRANCE S.A.S.
1 bis avenue du 8 mai 1945 - Bâtiment Equinoxe II
78280 Guyancourt
FRANCE

Customer Information Number : +33 1 30 23 13 13

E-mail address : SDS@corteva.com

1.4 Emergency telephone number

+32 3 575 55 55

SECTION 2: Hazards identification**2.1 Classification of the substance or mixture****Classification (REGULATION (EC) No 1272/2008)**

Long-term (chronic) aquatic hazard, Category 2 H411: Toxic to aquatic life with long lasting effects.

2.2 Label elements**Labelling (REGULATION (EC) No 1272/2008)**

SUCCESS™ SUPER Insecticide

Version 2.0 Revision Date: 19.11.2021 SDS Number: 800080005349 Date of last issue: -
Date of first issue: 19.11.2021

Hazard pictograms :



Hazard statements : H411 Toxic to aquatic life with long lasting effects.

Precautionary statements :

Prevention:

P273 Avoid release to the environment.

Response:

P391 Collect spillage.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Additional Labelling

EUH208 Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Spinetoram J & L (CAS# 187166-40-1 & 187166-15-0)	935545-74-7	Skin Sens. 1B; H317 Repr. 2; H361f Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 1,000	0.02
1,2-benzisothiazol-3(2H)-one	2634-33-5 220-120-9	Acute Tox. 4; H302 Skin Irrit. 2; H315	>= 0.025 - < 0.05

SUCCESS™ SUPER Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	19.11.2021	800080005349	Date of first issue: 19.11.2021

	613-088-00-6	Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 3; H412 <hr/> M-Factor (Acute aquatic toxicity): 1
--	--------------	--

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal protective equipment.
- If inhaled : Move person to fresh air. If person is not breathing, call an emergency responder or ambulance, then give artificial respiration; if by mouth to mouth use rescuer protection (pocket mask etc). Call a poison control center or doctor for treatment advice.
- In case of skin contact : Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
- In case of eye contact : Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control center or doctor for treatment advice.
- If swallowed : No emergency medical treatment necessary.

4.2 Most important symptoms and effects, both acute and delayed

None known.

4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : No specific antidote.
 Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient.
 Have the Safety Data Sheet, and if available, the product container or label with you when calling a poison control center or doctor, or going for treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

- Suitable extinguishing media : Water spray
 Alcohol-resistant foam

SUCCESS™ SUPER Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	19.11.2021	800080005349	Date of first issue: 19.11.2021

Unsuitable extinguishing media : None known.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health. Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : Nitrogen oxides (NOx)
Carbon oxides

5.3 Advice for firefighters

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary. Use personal protective equipment.

Specific extinguishing methods : Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

6.2 Environmental precautions

Environmental precautions : If the product contaminates rivers and lakes or drains inform respective authorities.
Discharge into the environment must be avoided.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g. by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.
Prevent from entering into soil, ditches, sewers, undewater. See Section 12, Ecological Information.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Clean up remaining materials from spill with suitable absorbant.
Local or national regulations may apply to releases and dis-

SUCCESS™ SUPER Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	19.11.2021	800080005349	Date of first issue: 19.11.2021

posal of this material, as well as those materials and items employed in.
 For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped,
 Recovered material should be stored in a vented container. The vent must prevent the ingress of water as further reaction with spilled materials can take place which could lead to over-pressurization of the container.
 Keep in suitable, closed containers for disposal.
 Wipe up with absorbent material (e.g. cloth, fleece).
 Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
 See Section 13, Disposal Considerations, for additional information.

6.4 Reference to other sections

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Do not breathe vapours/dust.
 Handle in accordance with good industrial hygiene and safety practice.
 Smoking, eating and drinking should be prohibited in the application area.
 Take care to prevent spills, waste and minimize release to the environment.
 Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Store in a closed container. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep in properly labelled containers. Store in accordance with the particular national regulations.

Advice on common storage : Do not store near acids.
 Strong oxidizing agents

Packaging material : Unsuitable material: None known.

7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Sorbitan, monooc-	9005-67-8	TWA (Inhalable)	10 mg/m ³	ACGIH

SAFETY DATA SHEET



SUCCESS™ SUPER Insecticide

Version 2.0 Revision Date: 19.11.2021 SDS Number: 800080005349 Date of last issue: -
 Date of first issue: 19.11.2021

tadecanoate, poly(oxy-1,2-ethanediyl) derivatives		particulate matter)		
		TWA (Respirable particulate matter)	3 mg/m3	ACGIH

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Propylene glycol	Workers	Skin contact	Acute systemic effects	
Remarks:	No data available			
	Workers	Inhalation	Acute systemic effects	
Remarks:	No data available			
	Workers	Skin contact	Acute local effects	
Remarks:	No data available			
	Workers	Inhalation	Acute local effects	
Remarks:	No data available			
	Workers	Skin contact	Long-term systemic effects	
Remarks:	No data available			
	Workers	Inhalation	Long-term systemic effects	168 mg/m3
	Workers	Skin contact	Long-term local effects	
Remarks:	No data available			
	Workers	Inhalation	Long-term local effects	10 mg/m3
	Consumers	Skin contact	Acute systemic effects	
Remarks:	No data available			
	Consumers	Inhalation	Acute systemic effects	
Remarks:	No data available			
	Consumers	Skin contact	Acute local effects	
Remarks:	No data available			
	Consumers	Inhalation	Acute local effects	
Remarks:	No data available			
	Consumers	Skin contact	Long-term systemic effects	
Remarks:	No data available			
	Consumers	Inhalation	Long-term systemic effects	50 mg/m3
	Consumers	Skin contact	Long-term local effects	
Remarks:	No data available			
	Consumers	Inhalation	Long-term local effects	10 mg/m3
Ammonium acetate	Workers	Inhalation	Long-term systemic effects	911.56 mg/m3

SUCCESS™ SUPER Insecticide

Version 2.0 Revision Date: 19.11.2021 SDS Number: 800080005349 Date of last issue: -
Date of first issue: 19.11.2021

	Workers	Inhalation	Acute systemic effects	5469.35 mg/m ³
	Workers	Skin contact	Long-term systemic effects	10.34 mg/kg bw/day
	Workers	Skin contact	Acute systemic effects	62.04 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	449.56 mg/m ³
	Consumers	Inhalation	Acute systemic effects	2674.16 mg/m ³
	Consumers	Skin contact	Long-term systemic effects	5.17 mg/kg bw/day
	Consumers	Skin contact	Acute systemic effects	31.02 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	5.17 mg/kg bw/day
	Consumers	Ingestion	Acute systemic effects	31.02 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Propylene glycol	Fresh water	260 mg/l
	Marine water	26 mg/l
	Intermittent use/release	183 mg/l
	Sewage treatment plant	20000 mg/l
	Fresh water sediment	572 mg/kg dry weight (d.w.)
	Marine sediment	57.2 mg/kg dry weight (d.w.)
	Soil	50 mg/kg dry weight (d.w.)
Ammonium acetate	Fresh water	3.08 mg/l
	Marine water	0.308 mg/l
	Sewage treatment plant	677 mg/l
	Fresh water sediment	2.51 mg/kg
	Marine sediment	0.251 mg/kg
	Soil	0.72 mg/kg

8.2 Exposure controls

Engineering measures

Use local exhaust ventilation, or other engineering controls to maintain airborne levels below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, general ventilation should be sufficient for most operations. Local exhaust ventilation may be necessary for some operations.

Personal protective equipment

Eye protection : Use safety glasses (with side shields).
Safety glasses (with side shields) should be consistent with EN 166 or equivalent.

Hand protection

Remarks : Use chemical resistant gloves classified under Standard EN374: Protective gloves against chemicals and micro-

SUCCESS™ SUPER Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	19.11.2021	800080005349	Date of first issue: 19.11.2021

organisms. Neoprene. Nitrile/butadiene rubber ("nitrile" or "NBR"). Polyvinyl chloride ("PVC" or "vinyl"). When prolonged or frequently repeated contact may occur, a glove with a protection class of 4 or higher (breakthrough time greater than 120 minutes according to EN 374) is recommended. When only brief contact is expected, a glove with a protection class of 1 or higher (breakthrough time greater than 10 minutes according to EN 374) is recommended. Glove thickness alone is not a good indicator of the level of protection a glove provides against a chemical substance as this level of protection is also highly dependent on the specific composition of the material that the glove is fabricated from. The thickness of the glove must, depending on model and type of material, generally be more than 0.35 mm to offer sufficient protection for prolonged and frequent contact with the substance. As an exception to this general rule it is known that multilayer laminate gloves may offer prolonged protection at thicknesses less than 0.35 mm. Other glove materials with a thickness of less than 0.35 mm may offer sufficient protection when only brief contact is expected. NOTICE: The selection of a specific glove for a particular application and duration of use in a workplace should also take into account all relevant workplace factors such as, but not limited to: Other chemicals which may be handled, physical requirements (cut/puncture protection, dexterity, thermal protection), potential body reactions to glove materials, as well as the instructions/specifications provided by the glove supplier.

- Skin and body protection : Use protective clothing chemically resistant to this material. Selection of specific items such as face shield, boots, apron, or full body suit will depend on the task.
- Respiratory protection : Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, wear respiratory protection when adverse effects, such as respiratory irritation or discomfort have been experienced, or where indicated by your risk assessment process. For most conditions no respiratory protection should be needed; however, if discomfort is experienced, use an approved air-purifying respirator.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	: Viscous liquid
Colour	: Brown
Odour	: Acidic
Odour Threshold	: No data available
pH	: 4.9
Melting point/range	: Not applicable
Freezing point	: No data available

SUCCESS[™] SUPER Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	19.11.2021	800080005349	Date of first issue: 19.11.2021

Boiling point/boiling range	:	No data available
Flash point	:	> 100 °C Method: closed cup water based product
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable to liquids
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Density	:	1.21 g/cm ³
Solubility(ies) Water solubility	:	miscible
Auto-ignition temperature	:	No data available
Viscosity Viscosity, dynamic	:	3,000 mPa,s
Explosive properties	:	No data available
Oxidizing properties	:	No data available

9.2 Other information

No data available

SECTION 10: Stability and reactivity**10.1 Reactivity**

Not classified as a reactivity hazard.

10.2 Chemical stabilityNo decomposition if stored and applied as directed.
Stable under normal conditions.**10.3 Possibility of hazardous reactions**Hazardous reactions : Stable under recommended storage conditions.
No hazards to be specially mentioned.
None known.**10.4 Conditions to avoid**

Conditions to avoid : None known.

SUCCESS[™] SUPER Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	19.11.2021	800080005349	Date of first issue: 19.11.2021

10.5 Incompatible materials

Materials to avoid : Strong acids
Strong bases

10.6 Hazardous decomposition products

Carbon oxides

SECTION 11: Toxicological information**11.1 Information on toxicological effects****Acute toxicity****Product:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Remarks: For similar material(s):

Acute inhalation toxicity : LC50 (Rat): > 5.18 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Symptoms: No deaths occurred at this concentration.
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: For similar material(s):

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg
Remarks: For similar material(s):

Components:**Spinetoram J & L (CAS# 187166-40-1 & 187166-15-0):**

Acute oral toxicity : LD50 (Rat, female): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.50 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

1,2-benzisothiazol-3(2H)-one:

Acute oral toxicity : LD50 (Rat): 675.3 mg/kg

Acute inhalation toxicity : LC50 (Rat): 0.25 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

SUCCESS[™] SUPER Insecticide

Version 2.0 Revision Date: 19.11.2021 SDS Number: 800080005349 Date of last issue: -
Date of first issue: 19.11.2021

Skin corrosion/irritation**Product:**

Result : No skin irritation

Components:**1,2-benzisothiazol-3(2H)-one:**

Species : Rabbit
Result : Skin irritation

Serious eye damage/eye irritation**Product:**

Result : No eye irritation

Components:**1,2-benzisothiazol-3(2H)-one:**

Species : Rabbit
Result : Corrosive

Respiratory or skin sensitisation**Product:**

Species : Guinea pig
Assessment : Does not cause skin sensitisation.
Remarks : For similar material(s):

Components:**Spinetoram J & L (CAS# 187166-40-1 & 187166-15-0):**

Species : Mouse
Assessment : The product is a skin sensitiser, sub-category 1B.

1,2-benzisothiazol-3(2H)-one:

Species : Mouse
Assessment : The product is a skin sensitiser, sub-category 1B.

Germ cell mutagenicity**Components:****Spinetoram J & L (CAS# 187166-40-1 & 187166-15-0):**

Germ cell mutagenicity- Assessment : In vitro genetic toxicity studies were negative., Animal genetic toxicity studies were negative.

1,2-benzisothiazol-3(2H)-one:

Germ cell mutagenicity- Assessment : Not mutagenic when tested in bacterial or mammalian sys-

SUCCESS[™] SUPER Insecticide

Version Revision Date: SDS Number: Date of last issue: -
2.0 19.11.2021 800080005349 Date of first issue: 19.11.2021

essment tems.

Carcinogenicity**Components:****Spinetoram J & L (CAS# 187166-40-1 & 187166-15-0):**

Carcinogenicity - Assessment : Did not cause cancer in laboratory animals.

Reproductive toxicity**Components:****Spinetoram J & L (CAS# 187166-40-1 & 187166-15-0):**

Reproductive toxicity - Assessment : Suspected human reproductive toxicant
Did not cause birth defects or other effects in the fetus even at doses which caused toxic effects in the mother.

1,2-benzisothiazol-3(2H)-one:

Reproductive toxicity - Assessment : In animal studies, did not interfere with reproduction., In animal studies, did not interfere with fertility.
Did not cause birth defects in laboratory animals.

STOT - single exposure**Product:**

Assessment : Evaluation of available data suggests that this material is not an STOT-SE toxicant.

Components:**1,2-benzisothiazol-3(2H)-one:**

Assessment : Evaluation of available data suggests that this material is not an STOT-SE toxicant.

Repeated dose toxicity**Components:****Spinetoram J & L (CAS# 187166-40-1 & 187166-15-0):**

Remarks : In animals, has been shown to cause vacuolization of cells in various tissues.
Dose levels producing these effects were many times higher than any dose levels expected from exposure due to use.

1,2-benzisothiazol-3(2H)-one:

Remarks : Based on available data, repeated exposures are not anticipated to cause significant adverse effects.

SUCCESS[™] SUPER Insecticide

Version Revision Date: SDS Number: Date of last issue: -
2.0 19.11.2021 800080005349 Date of first issue: 19.11.2021

Aspiration toxicity**Product:**

Based on physical properties, not likely to be an aspiration hazard.

Components:**Spinetoram J & L (CAS# 187166-40-1 & 187166-15-0):**

Based on physical properties, not likely to be an aspiration hazard.

SECTION 12: Ecological information**12.1 Toxicity****Components:****Spinetoram J & L (CAS# 187166-40-1 & 187166-15-0):**

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 2.69 mg/l
Exposure time: 96 h
Test Type: flow-through test
Method: OECD Test Guideline 203 or Equivalent

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 0.228 mg/l
aquatic invertebrates : Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202 or Equivalent

LC50 (saltwater mysid Mysidopsis bahia): 0.355 mg/l
Exposure time: 96 h
Test Type: flow-through test

Toxicity to algae/aquatic : ErC50 (Pseudokirchneriella subcapitata (green algae)): 1.06
plants : mg/l
End point: Biomass
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201 or Equivalent

ErC50 (diatom Navicula sp.): 0.127 mg/l
End point: Biomass
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201 or Equivalent

ErC50 (Lemna gibba): > 14.2 mg/l
End point: Growth rate inhibition
Exposure time: 7 d
Test Type: semi-static test

M-Factor (Acute aquatic tox- : 100
icity)

SUCCESS™ SUPER Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	19.11.2021	800080005349	Date of first issue: 19.11.2021

- Toxicity to microorganisms : EC50 (Bacteria): > 10 mg/l
Exposure time: 3 h
- Toxicity to fish (Chronic toxicity) : NOEC: 0.182 mg/l
End point: weight
Exposure time: 32 d
Species: Pimephales promelas (fathead minnow)
Test Type: flow-through test
- LOEC: 0.392 mg/l
End point: weight
Exposure time: 32 d
Species: Pimephales promelas (fathead minnow)
Test Type: flow-through test
- MATC (Maximum Acceptable Toxicant Level): 0.267 mg/l
End point: weight
Exposure time: 32 d
Species: Pimephales promelas (fathead minnow)
Test Type: flow-through test
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0.000062 mg/l
Species: Daphnia magna (Water flea)
Test Type: flow-through test
- M-Factor (Chronic aquatic toxicity) : 1,000
- Toxicity to soil dwelling organisms : LC50: > 500 mg/kg
Exposure time: 14 d
- Toxicity to terrestrial organisms : oral LD50: > 2250 mg/kg bodyweight.
Species: Colinus virginianus (Bobwhite quail)
- dietary LC50: > 5620 mg/kg diet.
Species: Colinus virginianus (Bobwhite quail)
- oral LD50: 0.11 micrograms/bee
Exposure time: 48 h
Species: Apis mellifera (bees)
- 1,2-benzisothiazol-3(2H)-one:**
- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 1.9 mg/l
Exposure time: 96 h
Test Type: flow-through test
Method: OECD Test Guideline 203 or Equivalent
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 3.7 mg/l
Exposure time: 48 h
Test Type: flow-through test
Method: OECD Test Guideline 202 or Equivalent
- LC50 (Mysid shrimp (Mysidopsis bahia)): 1.9 mg/l
Exposure time: 96 h

SUCCESS™ SUPER Insecticide

Version 2.0 Revision Date: 19.11.2021 SDS Number: 800080005349 Date of last issue: -
Date of first issue: 19.11.2021

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): 0.8 mg/l
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201 or Equivalent

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.21 mg/l
End point: Growth rate
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201 or Equivalent

ErC50 (diatom Skeletonema costatum): 0.36 mg/l
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201 or Equivalent

NOEC (diatom Skeletonema costatum): 0.15 mg/l
End point: Growth rate
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201 or Equivalent

M-Factor (Acute aquatic toxicity) : 1

Toxicity to microorganisms : EC50 (Bacteria (active sludge)): 28.52 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition of activated sludge

12.2 Persistence and degradability**Components:****Spinetoram J & L (CAS# 187166-40-1 & 187166-15-0):**

Biodegradability : Test Type: aerobic
Inoculum: activated sludge
Concentration: 20 mg/l
Biodegradation: 0.1 - 9.1 %
Exposure time: 28 d
Method: OECD Test Guideline 301B or Equivalent
Remarks: 10-day Window: Fail

Remarks: Material is expected to biodegrade very slowly (in the environment). Fails to pass OECD/EEC tests for ready biodegradability.

1,2-benzisothiazol-3(2H)-one:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 24 %
Exposure time: 28 d

SUCCESS™ SUPER Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	19.11.2021	800080005349	Date of first issue: 19.11.2021

Method: OECD Test Guideline 301B or Equivalent
Remarks: Abiotic degradation: The material is rapidly degradable by abiotic means.

12.3 Bioaccumulative potential**Components:****Spinetoram J & L (CAS# 187166-40-1 & 187166-15-0):**

Bioaccumulation : Species: Oncorhynchus mykiss (rainbow trout)
Exposure time: 28 d
Bioconcentration factor (BCF): 348

Partition coefficient: n-octanol/water : log Pow: 4.49 (20 °C)
pH: 7
Remarks: Bioconcentration potential is moderate (BCF between 100 and 3000 or Log Pow between 3 and 5).

1,2-benzisothiazol-3(2H)-one:

Bioaccumulation : Species: Fish
Bioconcentration factor (BCF): 3.2
Method: Calculated.

Partition coefficient: n-octanol/water : log Pow: 1.19
Method: OECD Test Guideline 117 or Equivalent
Remarks: Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

12.4 Mobility in soil**Components:****Spinetoram J & L (CAS# 187166-40-1 & 187166-15-0):**

Distribution among environmental compartments : Remarks: Potential for mobility in soil is slight (Koc between 2000 and 5000).

1,2-benzisothiazol-3(2H)-one:

Distribution among environmental compartments : Koc: 104
Method: Estimated.
Remarks: Potential for mobility in soil is high (Koc between 50 and 150).
Given its very low Henry's constant, volatilization from natural bodies of water or moist soil is not expected to be an important fate process.

12.5 Results of PBT and vPvB assessment**Product:**

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

SUCCESS™ SUPER Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	19.11.2021	800080005349	Date of first issue: 19.11.2021

0.1% or higher..

Components:

Spinetoram J & L (CAS# 187166-40-1 & 187166-15-0):

Assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating (vPvB)..

1,2-benzisothiazol-3(2H)-one:

Assessment : This substance has not been assessed for persistence, bioaccumulation and toxicity (PBT)..

12.6 Other adverse effects

Product:

Endocrine disrupting potential : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Components:

Spinetoram J & L (CAS# 187166-40-1 & 187166-15-0):

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

1,2-benzisothiazol-3(2H)-one:

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : If wastes and/or containers cannot be disposed of according to the product label directions, disposal of this material must be in accordance with your local or area regulatory authorities. This information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations.

If the material as supplied becomes a waste, follow all applicable regional, national and local laws.

SUCCESS™ SUPER Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	19.11.2021	800080005349	Date of first issue: 19.11.2021

SECTION 14: Transport information**14.1 UN number**

ADR	:	UN 3082
RID	:	UN 3082
IMDG	:	UN 3082
IATA	:	UN 3082

14.2 UN proper shipping name

ADR	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Spinetoram)
RID	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Spinetoram)
IMDG	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Spinetoram)
IATA	:	Environmentally hazardous substance, liquid, n.o.s. (Spinetoram)

14.3 Transport hazard class(es)

ADR	:	9
RID	:	9
IMDG	:	9
IATA	:	9

14.4 Packing group

ADR		
Packing group	:	III
Classification Code	:	M6
Hazard Identification Number	:	90
Labels	:	9
Tunnel restriction code	:	(-)
RID		
Packing group	:	III
Classification Code	:	M6
Hazard Identification Number	:	90
Labels	:	9
IMDG		
Packing group	:	III
Labels	:	9
EmS Code	:	F-A, S-F
Remarks	:	Stowage category A
IATA (Cargo)		

SUCCESS[™] SUPER Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	19.11.2021	800080005349	Date of first issue: 19.11.2021

Packing instruction (cargo aircraft) : 964
Packing instruction (LQ) : Y964
Packing group : III
Labels : Miscellaneous

IATA (Passenger)

Packing instruction (passenger aircraft) : 964
Packing instruction (LQ) : Y964
Packing group : III
Labels : Miscellaneous

14.5 Environmental hazards**ADR**

Environmentally hazardous : no

RID

Environmentally hazardous : no

IMDG

Marine pollutant : yes

14.6 Special precautions for user

Marine Pollutants assigned UN number 3077 and 3082 in single or combination packaging containing a net quantity per single or inner packaging of 5 L or less for liquids or having a net mass per single or inner packaging of 5 KG or less for solids may be transported as non-dangerous goods as provided in section 2.10.2.7 of IMDG code, IATA Special provision A197, and ADR/RID special provision 375.

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****15.2 Chemical safety assessment**

A Chemical Safety Assessment is not required for this substance when it is used in the specified applications.

The mixture is evaluated within the frame of the provisions of Regulation (EC) No. 1107/2009.

Refer to the label for exposure assessment information.

SECTION 16: Other information**Information Source and References**

This SDS is prepared by Product Regulatory Services and Hazard Communications Groups from information supplied by internal references within our company.

SUCCESS™ SUPER Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	19.11.2021	800080005349	Date of first issue: 19.11.2021

Full text of H-Statements

H302 : Harmful if swallowed.
H315 : Causes skin irritation.
H317 : May cause an allergic skin reaction.
H318 : Causes serious eye damage.
H361f : Suspected of damaging fertility.
H400 : Very toxic to aquatic life.
H410 : Very toxic to aquatic life with long lasting effects.
H412 : Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox. : Acute toxicity
Aquatic Acute : Short-term (acute) aquatic hazard
Aquatic Chronic : Long-term (chronic) aquatic hazard
Eye Dam. : Serious eye damage
Repr. : Reproductive toxicity
Skin Irrit. : Skin irritation
Skin Sens. : Skin sensitisation
ACGIH : USA. ACGIH Threshold Limit Values (TLV)
ACGIH / TWA : 8-hour, time-weighted average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations

SUCCESS™ SUPER Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	19.11.2021	800080005349	Date of first issue: 19.11.2021

Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bio-accumulative

Classification of the mixture:

Aquatic Chronic 2

H411

Classification procedure:

Calculation method

Product code: GF-3204

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

IL / 6N